## Vimec stairlifts



vimec ACCESSIBILITY

vimec ACCESSIBILITY


Italian quality and design... tailor made for you

# Dolce Vita

### CHANGE YOUR LIFE WITHOUT CHANGING HOME

The Dolce Vita chairlift is always tailor made, with a precise design to suit for your staircase and your needs.

# NO MORE WORRIES... WELCOME BACK DOLCE VITA!



Dolce Vita Dolce Vita

#### DISCOVER AGAIN THE PLEASURE AND FREEDOM TO LIVE IN YOUR HOME



Your home gathers all the beautiful things of your life: affections, memories, comforts which are a joy to find

around you.

Living your home in full autonomy is a pleasure you can continue to share with your family without any limitation and with the maximum comfort.








The Dolce Vita chairlifts tailor-made rail is suitable for the longest and most difficult staircases.

Vimec twin-tube technology provides stability together with space reductions either on landings and along the stairs development.

> We have successfully installed projects with 50-metres guides!



MAXIMUM AND MINIMUM INTRUSION

No obstruction problems on the stairs since footrest, seat and armrests are completely folding.


The seat and the footrest close and open together with a single movement.

A range of colors for the seat and rail so you can choose the ones that best fit your home furnishings.

Only a few simple gestures and the chairlift begins to be familiar.

#### Dolce Vita

#### AT YOUR DISPOSAL TO PROVIDE YOU WITH THE BEST SOLUTION



Every house is different and every person has specific needs that have to be respected...

Vimec consultants are experienced and patient professionals, ready to share the experiences of other customers to better address your requirements.

We work for people's satisfaction.

#### LISTEN TO THE EXPERIENCE OF THOSE WHO HAVE MADE THE CHOICE ALREADY

The consultant who will propose you Vimec is a professional technician able to support you from the choice to the use, without problems, of your Dolce Vita.



The quality of more than 130.000 projects realised and installed in the world is our best warranty.

The satisfaction of our customer is the proof.




# Ischia

#### FOR A SINGLE FLIGHT OF STAIRS, EASY AND COMFORTABLE


The Ischia stairlift is the ideal solution to overcome a few steps both inside and outside the house.

Elegant and silent, perfect for moving safely in a great comfort.

<u>14</u>



Ischia Ischia



Ischia frees yourself from thoughts regarding your movements about in the house: you don't need to give up anything, and Ischia doesn't require any special masonry works.

Sit down, fasten your belt and enjoy the soft march of your stairlift in complete relax.


WHY GIVING UP TO OLD HABITS?

THE ISCHIA STAIRLIFT
IS COMFORTABLE AND EASY TO USE,
AND IT HAS A SMALL FOOTPRINT SO...

SERENITY AND PEACE OF MIND AT HOME.



*Ischia*Ischia



#### FLEXIBLE AND ELEGANT

Ischia folds easily with the armrests, seat and footrest: it is never an encumbrance for those who have to use the staircase, it is always a pleasure to see it in the context of the house, for its shapes and discreet colors.

#### COMFORT IS ALSO FOR THE SPACES AROUND YOUR HOME

Moving around the house with no worries?
The outdoor version of Ischia is available with dedicated treatments to ensure your mobility on the steps of the ramp in front of the entrance, or on another side of the house.

REMOTE CONTROL THE FOOTREST IS COVERED WITH NON-SLIP MATERIAL AND FITTED WITH SAFETY EDGES



OUTDOOR VERSION



JOYSTICK IS INTUITIVE AND CONVENIENT

LIGHT LEVER FOR SEAT ROTATION

# Capri


#### FLEXIBILITY AND ELEGANCE

The Capri stairlift
is Vimec tailor-made solution with the single tube guide,
which is ideal for special installations when,
for example, the space for parking the stairlift
is already occupied by a door, or when you have a spiral staircase.

Elegant in shape and colors, the Capri stairlift is also perfect for moving safely in comfort.

**20** 

### SERENITY ALWAYS TAILORED TO YOUR NEEDS



#### Capri



#### EASE OF USE

You can reach the sleeping area in a minute, and with another minute you return to the kitchen, relaxing thanks to the soft start/stop function (controlled speed for start and for finish).


#### Capri



The Capri stairlift follows the shape of your staircase even for several ramps: Capri is at your service, you can move in peace on the different floors of your home.



#### Capri



Even on longer stairs the rail has a reduced encumbrance.

<u>24</u>

#### Capri



THE SEAT ROTATIONFACILITATES BOTH BOARDING AND DESCENDING ON LANDING FLOOR







DROPNOSE

THE UNIT IS FOLDABLE



#### Safety and comfort

#### Dolce Vita

Dolce Vita is equipped with sensitive anti-collision edges, which stop the system in case there is an obstacle along the way. Armrest and footrest are particularly sturdy to offer elderly people a solid support The chairlift activates only when all seat components (seat, armrest and footrest) are lowered in the working position The seat rotation facilitates the landing on the floors. Soft START/STOP: the start and stop are soft and pleasant for every person. External systems are equipped with a protective cover.



OUTDOOR INSTALLATION

#### Technical features

#### Dolce Vita

#### **AVAILABLE VERSIONS**



THE SEAT IS AVAILABLE IN 3 WASHABLE COLOURS.

THE RAIL CAN BE PAINTED IN ANY RAL COLOR TO BETTER SUIT YOUR FURNITURE AND BE DISCRETE AND ELEGANT.

AVAILABLE IN OUTDOOR VERSION, WITH PROTECTIVE COVER.


#### **DEPARTURE FROM THE LOWER FLOOR**







#### **TECHNICAL DATA**



POWER SUPPLY 230 VAC	
SPEED 0.15 M/S (MAX.)	
DURATION OF USE 15 LAPS EVERY 24 HOURS - 10 CONTINUOUS L	APS
MAXIMUM LOAD 130 KG	

DOLCE VITA				
Α	DIMENSIONS OF THE GUIDE, WIDTH/HEIGHT	30 MM/50 MM		
В	DISTANCE OF THE OUTER SIDE OF THE SCALE	130 MM		
С	MACHINE DIMENSIONS WITH THE PLATFORM CLOSED	445 MM		
D	MACHINE DIMENSIONS WITH THE PLATFORM OPEN	720 MM		
E	DISTANCE BETWEEN THE PLATFORM AND THE SEA	530 MM		
F	DISTANCE BETWEEN THE PLATFORM AND THE UPPER PART OF THE BACKREST	1.080 MM		
G	BACKREST WIDTH	380 MM		
н	DISTANCE BETWEEN ARMRESTS (EXTERNALLY)	600 MM		
J	DISTANCE BETWEEN THE BACKREST AND THE WALL	195 MM		
K	SEAT DEPTH	365 MM		
L	DISTANCE BETWEEN THE UPPER PART OF THE PLATFORM TO THE FLOOR	90 MM		

PROVIDED DATA IS INDICATIVE. VIMEC RESERVES
THE RIGHT TO CHANGE THEM WITHOUT NOTICE.

#### Technical features

#### Ischia

#### **AVAILABLE VERSIONS**



#### **OPTIONAL**

FOLDABLE GUIDE ON LOWER FLOOR


MOTORIZED SLIDING RAIL


AUTOMATIC SEAT ROTATION




ISCHIA FOR OUTDOORS

#### TECHNICAL DATA







ISCHIA				
Α	ROTATION RADIUS	645 MM		
В	MINIMUM BACKREST DEPTH	60 MM		
С	SEAT DEPTH	390 MM		
D	MINIMUM WIDTH WITHTHE FOOTREST RAISED	320 MM		
E	MINIMUM WIDTH WITH THE FOOTREST LOWERED	530 MM		
F	EXTERNAL WIDTH OF ARMREST	575 MM		
G	INTERNAL WIDTH OF ARMREST	450 MM		
н	BACKREST HEIGHT	400 MM		
ı	FOOTREST - SEAT	430 - 460 - 490 - 520 MM		
J	MINIMUM HEIGHT OF FOOTREST	70 MM		
ĸ	FRONT PART OF THE GUIDE	160 MM		

THE TECHNICAL DATA ARE INDICATIVE. VIMEC RESERVES THE RIGHT TO MAKE ANY APPROPRIATE CHANGES.

#### Technical features

#### Capri

#### **OPTIONAL**

FOLDABLE RAIL ON LOWER FLOOR AUTOMATIC SEAT ROTATION

SAND

With brown wood finishes Washable

#### COMFORT

#### RAIL










7047



BROWN 8024 (optional)

#### TECHNICAL DATA



POWER SUPPLY	230 VAC
SPEED	0.15 M/S (MAX.)
DURATION OF USE	15 LAPS EVERY 24 HOURS 10 CONTINUOUS LAPS
MAXIMUM LOAD	125 KG

CAPRI					
Α	GUIDE DIMENSIONS (DIAMETER)	Ø 76 MM			
В	DISTANCE FROM OUTSIDE SCALE (BASE 30 MM)	170 MM			
	OR				
	DISTANCE FROM INSIDE SCALE (BASE 30 MM)	190-250 MM			
С	MACHINE DIMENSIONS WITH CLOSED PLATFORM	400 MM			
D	MACHINE DIMENSIONS WITH THE PLATFORM OPEN (BEVELLED)	625 MM			
E	DISTANCE BETWEEN FOOTREST AND SEAT	485 MM			
F	DISTANCE BETWEEN FOOTREST AND UPPER PART OF BACKREST	880 MM			
G	DISTANCE BETWEEN ARMRESTS (INTERNALLY)	440-460 MM			
н	DISTANCE BETWEEN ARMRESTS (OUTSIDE)	570-610 MM			
J	DISTANCE BETWEEN BACKREST AND WALL	570-610 MM			
ĸ	SEAT DEPTH	390 MM			
L	DISTANCE BETWEEN THE UPPER PART OF THE PLATFORM AND THE FLOOR	130 MM			
	IN THE CASE OF *DROPNOSE*	93 MM			
MIN	770 MM				
MINIMUM WIDTH OF LADDER INSTALLATION OUTSIDE 740 MM					

SOFT START/STOP AS A STANDARD INSTALLATION IN ONE DAY THE TECHNICAL DATA ARE INDICATIVE. VIMEC RESERVES THE RIGHT TO MAKE ANY APPROPRIATE CHANGES.

31

SOFT START/STOP AS A STANDARD NO LUBRICATION NEEDED: A CLOTH IS ALL IT TAKES TO CLEAN IT **INSTALLATION IN ONE DAY** 

### vimec

Vimec was born in 1980 near the river Po, between the provinces of Mantova and Reggio Emilia.

Over the years we have become leaders thanks to the values that guide us every day: people are our customers, whom we deal with passion, commitment and integrity, in order to ensure the best consumer experience.

Vimec Accessibility is the division of the company that takes care of the design, implementation and installation of tailor-made solutions to support people needs of mobility, both at home and in public environments.







VIMEC s.r.l.

Via Parri, 7 | 42045 Luzzara (RE) | Italy Ph. +39 0522 970666 | Fax +39 0522 970677 export@vimec.biz | www.vimec.biz/en VIMEC ABROAD:

Madrid (Spain) Avignon (France) St. Petersburg (Russia) London (United Kingdom) Warsaw (Poland)

 ${\bf Company\ subject\ to\ management\ and\ coordination\ by\ Investmentak tiebolaget\ Latour.}$